







## **DECORS**



MINK DECOR



SAHARA DECOR



TAUPE DECOR




MAPLE




CHERRY



2251S LE



2301



SHELD CASE.

WINDSHOOLE


SHELD CASE.

SHE

**2291S** 



2501TS



EXTERIOR OPTIONS




STANDARD EXTERIOR



INDIGO FULL BODY PAINT




**CLAY FULL BODY PAINT** 




## 2861DS



## 3051S






## 3101SS



## FORESTER OPTIONS



# FORESTER SPECIFICATIONS

	CAPACITIES AND DIMENSIONS										
	2251S LE	2301	2291S	2501TS	2651S	2701DS	2861DS	3011DS	3051S	3101SS	3171DS
CHASSIS (FORD/CHEVY)	(FORD/CHEVY)	(FORD/CHEVY)	(FORD/CHEVY)	(FORD/CHEVY)	(FORD)	(FORD)	(FORD/CHEVY)	(FORD)	(FORD)	(FORD)	(FORD)
WHEEL BASE	158"/159"	158"/159"	158"/159"	182"/183"	193"	202"	202"/203"	220"	220"	220"	220"
GVWR	12500/14200	12500/14200	12500/14200	14500/14200	14500	14500	14500/14200	14500	14500	14500	14500
UVW	9660/9640	9950/9890	9950/9890	11500/ 11500	11100	11260	12100/12400	12400	12848	12500	12500
GCWR	18500/20000	18500/20000	18500/20000	22000/20000	22000	22000	22000/20000	22000	22000	22000	22000
NCC	2840/4560	2550/4310	2550/4310	3000/2700	3400	3240	2400/1800	2100	1652	2000	2000
FUEL CAP. (GAL)	55/57	55/57	55/57	55/57	55	55	55/57	55	55	55	55
HITCH RATING	5000	5000	5000	7500/5000	7500	7500	7500/5000	500	7500	7500	7500
TOTAL LENGTH	23'10"/24'4"	24'6"/25"	24'6"/25"	26'11"/27.5	28'4"	28'1"	30' 9"/31'3"	32'3"	31'11"	32'3"	32'3"
EXTERIOR HEIGHT W/ AC	11'3"	11'3"	11'3	11'3"	11'3"	11'3"	11'3"	11'3"	11'3"	11'3"	11'3"
EXTERIOR WIDTH	101"	101"	101"	101"	101"	101"	101"	101"	101"	101"	101"
INTERIOR WIDTH	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5	95.5"
INTERIOR HEIGHT	84"	84"	84"	84"	84"	84"	84"	84"	84"	84"	84"
FRESH WATER (GAL) W/ WH	39.5	50	50	50	50	50	50	50	50	50	50
GREY WATER (GAL)	32	39	39	39	28	39	39	39	39	39	39
BLACK WATER (GAL)	27	39	39	39	28	39	39	39	39	39	39
L.P. CAPACITY (GAL)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
AWNING LENGTH	14'	15'6"	15'6"	18'	12'6"	14'	16'	15'6"	18'	11'	11'
EXTERIOR STORAGE (CU. FT)	32	61	61	50	110	65	62	101	81	80	80
WATER HEATER (GAL)	6	6	6	6	6	6	6	6	6	6	6

# MBS MERCEDES BENZ SERIES



THE QUALITY YOU'VE COME TO EXPECT, PAIRED WITH A FUEL EFFICIENT DIESEL PLATFORM.



MBS 2401R



MBS 2401S



MBS 2401W





### BLUE TEC DIESEL ENGINE

ONE OF THE WORLD'S CLEANEST DIESEL ENGINES DELIVERS
MORE POWER WHILE PRODUCING FEWER EMISSIONS THANKS
TO BLUETECH SCR TECHNOLOGY THE 3.0L V-6 ENGINE BOASTS
188HP AND 325 LB-FT OF RATED TORQUE.




# MBS SPECIFICATIONS

	CAPACITIES AND DIMENSIONS					
	2401R	2401S	2401W			
WHEEL BASE	170.3"	170.3"	170.3"			
GVWR (LBS)	11030	11030	11030			
UVW (LBS)	9852	9700	9927			
GCWR (LBS)	15250	15250	15250			
NCC	1178	1330	1103			
FUEL CAP. (GAL)	26.4	26.4	26.4			
HITCH RATING	4200	4200	4200			
TOTAL LENGTH	24'11"	24'8"	24'11"			
EXTERIOR HEIGHT W/ AC	11'3"	11'3"	11'3"			
EXTERIOR WIDTH	94.5"	94.5"	94.5"			
INTERIOR WIDTH	91"	91"	91"			
INTERIOR HEIGHT	81"	81"	81"			
FRESH WATER (GAL) W/ WH	41	41	41			
GREY WATER (GAL)	30	33	32			
BLACK WATER (GAL)	30	33	32			
L.P. CAPACITY (GAL)	9.8	9.8	9.8			
AWNING LENGTH	16'	15'6"	16'			
EXTERIOR STORAGE (CU. FT)	75	67	50			
WATER HEATER (GAL)	6	6	6			

# GTS GRAND TOURING SERIES



WHEN YOU DON'T NEED A CAB **OVER BED, THE STREAMLINED GTS** IS THE PERFECT VEHICLE TO GET AROUND AND GET AWAY.







## CONSTRUCTION

## MULTI-LAYERED LAMINATED ROOF SYSTEM 1 CROWNED FIBERGLASS ROOF

- LUAN DECKING
- BLOCK FOAM INSULATION
- A/C DUCTS
- 1.5" TUBULAR ALUMINUM FRAMING
- INTERIOR CEILING MATERIAL

#### 2-INCH VACUUM-BOND LAMINATED SIDEWALLS

- DECORATIVE INTERIOR WALL BOARD
- 1.5" TUBULAR ALUMINUM FRAMING
- EGS METAL BACKERS
- 10 BLOCK FOAM INSULATION
- 11 OPENING FRAMED IN ALUMINUM
- 12 SUPERLITE COMPOSITE AZDEL
- 13 GELCOAT FIBERGLASS EXTERIOR

#### VACUUM-BOND LAMINATED FLOOR SYSTEM

- 14 FIBERGLASS BOTTOM BOARD
- 15 BLOCK FOAM INSULATION
- 16 SEAMLESS FLOOR DECKING
- 17 BEAUFLOR FLOORING (IN SOME AREAS) 18 CARPET WITH PAD (BEDROOM)
- 19 1.5" ALUMINUM FRAMING

## GTS SPECIFICATIONS

	CAPACITIES AND DIMENSIONS
	2801QS
WHEEL BASE	212"
GVWR (LBS)	14500
UVW (LBS)	11596
GCWR (LBS)	22000
NCC	2904
FUEL CAP. (GAL)	55
HITCH RATING	7500
TOTAL LENGTH	30'4"
EXTERIOR HEIGHT W/ AC	10'8"
EXTERIOR WIDTH	95.5"
INTERIOR WIDTH	90"
INTERIOR HEIGHT	81"/ 75.5"
FRESH WATER (GAL) W/ WH	49
GREY WATER (GAL)	42
BLACK WATER (GAL)	28
L.P. CAPACITY (GAL)	9.8
AWNING LENGTH	18'
EXTERIOR STORAGE (CU. FT)	73
WATER HEATER (GAL)	6





### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations

STANDARDS AND OPTIONS	FR	GTS	MBS	LE
WARRANTY				
12 Months/12,000 mile basic limited warranty	S	S	S	S
Chassis warranty (see owners manual)				
SYSTEMS				
Battery disconnect	S	S	S	S
Water heater bypass	S	S	S	S
(2) Deep cycle coach batteries	S	S	S	1
"Easy Access" battery in step-well	S	S S	S	
30 amp service with detachable cord	S	S	S	\$ \$ \$ \$ \$ \$ \$
60 amp Progressive Dynamics Convertor	S	S S	S	- 3
6 gallon DSI gas/electric water heater	S	S	S	
30,000 BTU furnace	S	S	<u>S</u>	- 0
Emergency start switch	S	S		- 0
Satellite/Cable connection	S	S S	S	
13,500 BTU ceiling ducted roof air	S	S	S	_ =
4.0 KW Onan Microguiet generator	S	S		<u>S</u>
3.6 KW Onan LP Generator		<u> </u>	S	
3.2 KW Onan Diesel Generator			0	
Automatic generator transfer switch	S	S	S	
Firestone Ride-Rite air helper springs	S	S		
Water filtration system	S	S	S	
Heated, enclosed holding tanks & valves	S	S		
Arctic Package (12V tank heaters)	0	0	S	0
15k BTU A/C with heat pump (n/a diesel gen)	0	0	0	
	S	S	S	S
CO2, LP and smoke detector	<u>S</u>	<u>S</u>	<u>s</u> S	<u>s</u>
Jack digital antenna		<u> </u>		
EXTERIOR				
	0	0		0
2" Aluminum framed laminated sidewalls	<u>S</u>	S	S	<u>S</u>
1.5" Aluminum framed laminated sidewalls		S		S
Azdel Superlight composite substrate	S	<u>S</u>	S	_ >
Gel Coat exterior fiberglass	S	S	S S	\$ \$ \$ \$ 0
Block foam insulation	<u>S</u>			_ <u>&gt;</u>
Power patio awning with LED light strip	<u>S</u> S	<u> </u>	S	<u> </u>
Slide-out awnings		<u>S</u>	S	<u>&gt;</u>
Fiberglass roof	<u>S</u>	<u> </u>	<u>S</u>	<u>&gt;</u>
One piece fiberglass front cap	<u>S</u>	S	<u> </u>	$\frac{6}{6}$
Exterior skirt paint	S	S	<u>S</u>	
Stainless steel wheel liners	<u>S</u>	S	<u> </u>	
Valve stem extensions	<u>S</u>	S	<u> </u>	S
Roto-cast storage compartments	<u>S</u>	S	<u>S</u>	<u>S</u>
Driver side security light	S	S	S	
Aluminum running boards				0
Fiberglass running boards	S	S	S	
110 volt, GFI protected exterior receptacle	<u>S</u>	S	S	<u>S</u>
Tinted sliding windows	S			S
Tinted frameless windows		S	S	
Heated, remote exterior mirrors	0	0	0	0
7,500 lbs hitch, 7-pin connector (E450)	S	S		S
5,000 lbs hitch, 7-pin connector (Chevy/E350)	S	S		S
4,200 lbs hitch, 7-pin connector			S	
Spare tire	S	S	S	
Roof ladder (N/A 2401R)	S		S	S
Integrated entry step	S	S		S
Power entry step			S	
Outside shower	S	S	Š	
Automatic leveling system (4-point)	Ö	Ö		0
Stabilizer Jacks (2-point)			0	
Full body paint	0	0	0	
32" Outside 12V TV with DVD & speakers				
(2701DS, 3011DS, 3051S, 3171DS only)	0	0		
	U			
	0	0		
Outside stereo Exterior grill with guick connect (standard 2861	0	0	0	

Black tank flush

O: OPTION S: STANDARD --: NOT APPLICABLE

FOR MORE INFORMATION PLEASE VISIT: WWW.FORESTRIVERINC.COM/FORESTER



### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.





914 CR 1 ELKHART, IN 46514 574.262.2212 800.445.2825 All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc. reserves the right to make changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc. clealer and confirm the existence of any material, design or specifications that

©2015 FORESTER - a divison of Forest River Inc. - A Berkshire Hathaway company

	FR	GTS	MBS	LE
	rĸ	GIS	IVIDO	ᄕ
CAB AREA				
7" Touch screen radio with DVD, USB and Bluetooth	n S	S	S	S
Sirius tuner and antenna	S	S	S	S
Cab area privacy curtain	S	<u>S</u>	S	S
Ultra leather driver and passenger seats	0	0	<u> </u>	
Power windows and door locks	S	S	S	<u>S</u>
Keyless entry (n/a Chevy)	<u>S</u> 0	S 	S 0	<u>S</u> 0
Color back-up camera with rear view monitor Side view cameras	0	0	0	
GPS navigation system	Ö	Ö	Ö	0
Wood grain dash	Ö	Ö	Š	
Removable cab mat			S	
Swivel driver seat (n/a Chevy, Power)	0	0	S	
Power driver seat (Ford only)	0	0		
Swivel passenger seat (n/a Chevy)	0	0	S	
KITCHEN High-neck faucet				S
High-neck faucet with pull out sprayer	S	S	S	
Recessed 3-burner range with flush glass cover	S	S	S	S
Range hood with fan and light	S	S	S	Š
Oven IPO drawer	S	0	0	S
Microwave oven	S			S
Convection microwave (Standard in 3051S)	0	S	S	
6 cu ft double door refrigerator	<u>S</u>	S	S	S
12 cu ft four door refrigerator with ice maker	_			
(2861DS, 3011DS, 3051S)	<u>0</u> S	S	S	
Raised wood refrigerator panel (n/a) 12 cu ft Full extension ball bearing drawer guides	S	S	<u>s</u> S	S
Flip-up countertop extension	S	<u>S</u>	S	S
Hidden hinges	S	S	S	
Solid surface galley	S	S	S	
BATHROOM				
Porcelain toilet	S	S		S
Lightweight composite toilet with hand sprayer			<u>S</u>	
Glass shower door	S	<u> </u>	<u>S</u>	<u>S</u>
Towel bar, tissue, toothbrush and soap holder Electric roof fan	S S	S S	S S	<u> </u>
Shower head with flexible extension	S	<u>S</u>	S	S
Shower skylight	S	S	S	S
<u>5.1.5 11.5 11.5 11.5 11.5 11.5 11.5 11.</u>				
BEDROOM				
Upgraded memory foam mattress	S	S	<u> </u>	0
Bedspread	S	S	S	<u>S</u>
Pleated night shades	S	S	S	S
Black out roller shades	0	0	<u>S</u>	
Bedroom TV with DVD Desk and wardrobe IPO bunks (3171DS Only)	0			
Cedar lined closet	S	S	S	
Oddi mied oloset				
LIVING ROOM				
Dream dinette (N/A with U-shape dinettes)	S	S	S	
Vinyl soft touch padded ceiling	S	S	S	
Visionary pull out sofa (60x74) (3011DS)	<u>S</u>			
32" 12V flat panel adjustable side TV	S	S	S	<u>S</u>
Cab over cabinets with 42" TV (IPO side TV) Cab over folding twin beds with 32"	0		0	0
12V TV (IPO side TV)	0			0
Surround sound with sub-woofer	0	0	0	
Child seat head tethers in dinette	s	S	S	
Fantastic vent w/ rain/temp sensor & power dome		S	S	
Glass recessed LED light fixtures	S	S	S	
Dual recliners IPO Sofa (3011DS, 2801QS)	0	0		
LED Floor lighting	S	S	S	
Dream dinette IPO U-Shape (varies)	0	 9		
12V LISE charding station	-		-	

### YOUR LOCAL FORESTER DEALER

12V USB charging station